

**Physics 5645**  
**Quantum Mechanics A**  
**Problem Set IV**

Due: Tuesday, Oct 1, 2019

4.1 Show that if the position-space wave function for a particle,  $\psi(x) = \langle x|\psi\rangle$ , is real valued then the expectation value of the momentum operator in that state is  $\langle \hat{p} \rangle = 0$ . (Hint: Show that the probabilities to measure momenta of  $+p$  and  $-p$  are equal.) Also show that multiplying  $\psi(x)$  by a constant, even if complex, does not change this result. (It better not, since the states  $|\psi\rangle$  and  $c|\psi\rangle$  are physically equivalent.)

4.2 Problem 1.27, Sakurai and Napolitano, Pg. 63.

4.3 Problem 1.32 Part (b), Sakurai and Napolitano, Pg. 65.

4.4 A one-dimensional particle is in the state  $|\psi\rangle = \int \psi(x)|x\rangle dx$  where  $\psi(x) = \langle x|\psi\rangle$ , the position-space wave function, is given by

$$\psi(x) = \begin{cases} A & -a \leq x \leq a, \\ 0 & \text{otherwise.} \end{cases}$$

- (a) Find  $A$  so that  $|\psi\rangle$  is normalized and compute the momentum-space wave function for this state,  $\tilde{\psi}(p) = \langle p|\psi\rangle$ .
- (b) If an experiment were performed to measure the momentum  $p$  of the particle in this state, what is the probability that the result would be such that  $|p| \geq \hbar/a$ ? [To answer this you may need to do an integral numerically.]

4.5 Problem 2.2, Sakurai and Napolitano, Pg. 148.

4.6 Consider the precession of the spin of an electron in a uniform magnetic field  $\vec{B} = B\hat{k}$  for which the Hamiltonian is

$$H = -\frac{eB}{mc}S_z = \omega S_z,$$

where  $\omega = \frac{|e|B}{mc}$ .

At time  $t = 0$  the electron spin is in the state,

$$|\psi(0)\rangle = \cos \frac{\theta}{2} |+\rangle + \sin \frac{\theta}{2} |-\rangle,$$

(i.e., an eigenstate of the operator  $\hat{\mathbf{n}} \cdot \mathbf{S}$  with eigenvalue  $+\hbar/2$  where  $\hat{\mathbf{n}}$  is in the  $xz$  plane and makes an angle  $\theta$  with the  $z$  axis.) In what follows work within the Schrödinger picture.

- (a) Obtain the time dependent state  $|\psi(t)\rangle$ .
- (b) Find the probability for finding the electron in the  $S_x = \hbar/2$  state as a function of time.
- (c) Obtain the expectation values of  $S_x$ ,  $S_y$ , and  $S_z$  as a function of time. Describe the time evolution of the vector  $\langle \mathbf{S} \rangle = \langle \psi(t) | \mathbf{S} | \psi(t) \rangle$ .